

ROYALE EXPORT

Serving Clients Globally

















INDEX

06 ONE PIECE CLOSET


- 10 TWO PIECE CLOSET
- 16 4 PIECE SUIT SET
- 17 FLOOR MOUNT & WALL HUNG CLOSET
- 19 WATER CLOSET
- 22 SQUATTING PAN & URINAL
- 26 WASH BASIN PEDESTAL SET
- 33 WASH BASIN
- 38 ONE PIECE BASIN
- **39** TABLE TOP BASIN
- 40 DESIGNER ONE PIECE BASIN
- 43 DESIGNER ONE PIECE CLOSET
- 44 DESIGNER TABLE TOP BASIN
- 48 VITROSA SET PEDESTAL BASIN
- 51 VITROSA SQUATTING PAN
- 52 VITROSA WASH BASIN
- 53 CERAMIC ACCESSORIES
- 54 SEAT COVER & FLUSH TANK
- 55 FLUSH TANK FITTING
- 56 TECHNICAL SPECIFICATION
- TROUBLESHOOTING GUIDE





ONE PIECE CLOSET






GI-101

L 680 W 380 H 680mm S Trap - 225mm(9") S Trap - 300mm(12")






GI-102

L 650 W 345 H 710mm S Trap - 225mm(9") S Trap - 300mm(12")






GI-103

L 630 W 350 H 670mm S Trap - 225mm(9") S Trap - 300mm(12")



ONE PIECE CLOSET






GI-104

L 630 W 340 H 715mm S Trap - 225mm(9") S Trap - 300mm(12")






GI-105

L 630 W 340 H 715mm S Trap - 225mm(9") S Trap - 300mm(12")






GI-106

L 650 W 355 H 720mm S Trap - 225mm(9") S Trap - 300mm(12")



ONE PIECE CLOSET






GI-107

L 650 W 360 H 735mm S Trap - 225mm(9") S Trap - 300mm(12")






GI-108

L 690 W 360 H 660mm S Trap - 225mm(9") S Trap - 300mm(12")






GI-109 (4D) L 640 W 3

L 640 W 360 H 730mm S Trap - 225mm(9") S Trap - 300mm(12")










GI-201 ITALIAN CLOSE COUPLE (P TYPE)

L 640 W 360 H 780mm INLET : BOTTOM / SIDE FLUSH : FRONT/TOP






GI-202 ITALIAN CLOSE COUPLE (S TYPE)

L 650 W 355 H 780mm INLET : BOTTOM / SIDE FLUSH : FRONT/TOP






GI-203 IRANI CLOSE COUPLE (NANO S TYPE)

L 580 W 350 H 750mm INLET : SIDE FLUSH : FRONT/TOP








GI-204
IRANI CLOSE COUPLE (S TYPE)

L 610 W 350 H 755mm INLET : SIDE

FLUSH: FRONT/TOP






GI-205 IRANI CLOSE COUPLE (S TYPE)

L 610 W 355 H 770mm

INLET: SIDE

FLUSH: FRONT/TOP





GI-206 IRANI CLOSE COUPLE (P TYPE)


L 640 W 355 H 770mm

INLET: SIDE

FLUSH: FRONT/TOP








GI-207
IRANI CLOSE COUPLE (S TYPE)

L 610 W 390 H 755mm INLET : BOTTOM / SIDE FLUSH : FRONT/TOP






GI-208
APOLLO CLOSE COUPLE (S/P TYPE)

L 645 W 360 H 795mm INLET : BOTTOM / SIDE FLUSH : FRONT/TOP






GI-209 BETTAA CLOSE COUPLE (P TYPE)

L 640 W 360 H 780mm INLET : BOTTOM FLUSH : FRONT/TOP








GI-210 AQUA WATER CLOSET (S/P TYPE)

L 650 W 410 H 780mm INLET : BOTTOM / SIDE

FLUSH: TOP






GI-211
GOLD SLEEK CLOSE COUPLE (S/P TYPE)

L 665 W 360 H 740mm INLET: BOTTOM / SIDE

FLUSH: TOP






GI-212
IDEAL CLOSE COUPLE (S/P TYPE)

L 615 W 355 H 730mm

INLET: SIDE FLUSH: TOP








GI-213 SQUARE CLOSE COUPLE (S/P TYPE)

L 650 W 360 H 760mm INLET : BOTTOM / SIDE

FLUSH: TOP






GI-214 SLIM CLOSE COUPLE (S/P TYPE)

L 650 W 350 H 755mm INLET: BOTTOM / SIDE

FLUSH: TOP





GI-215 AMAZON CLOSE COUPLE (S/P TYPE)

L 635 W 360 H 765mm INLET: BOTTOM / SIDE

FLUSH: TOP



4 PIECE SUIT SET



4 PIECE ITALIAN SUIT SET




4 PIECE AMAZON SUIT SET





FLOOR MOUNT & WALL HUNG CLOSET






GI-301 FLOOR MOUNT


L 510 W 350 H 360mm





GI-302 WALL HUNGL 480 W 340 H 340mm






GI-303 WALL HUNGL 540 W 330 H 370mm



WATER CLOSET






GI-401 EUROPEAN WATER CLOSET

L 460 W 360 H 410mm P Trap






GI-402 EUROPEAN WATER CLOSET

L 465 W 365 H 420mm S Trap






GI-403 ANGLO INDIAN WATER CLOSET

L 530 W 435 H 400mm P Trap



WATER CLOSET






GI-404 ANGLO INDIAN WATER CLOSET

L 530 W 435 H 400mm S Trap






GI-405 CONCEALED WATER CLOSET

L 460 W 360 H 375mm S Trap





GI-406 RAILWAY WATER CLOSET (HOPPER)


L 450 W 370 H 435mm



WATER CLOSET




GI-407 | **BIDET** L 580 W 370 H 385mm





GI-409 | FLAT BACK URINAL






GI-408 | HALF STALL URINAL

L 350 W 400 H 600mm




GI-410 | LADIES URINAL

L 360 W 445 H 100mm










GI-421 DELUXE ORISSA PAN (20")

L 535 W 440 H 260mm






GI-422 ORISSA PAN (20")

L 570 W 390 H 200mm






GI-423 KHAZAB PAN L 510 W 420 H 160mm








GI-424 C.T PAN

L 510 W 400 H 160mm






GI-425 C.T PAN (18")

L 450 W 375 H 160mm






GI-426 ORISSA PAN (23")

L 590 W 425 H 235mm








GI-427 ACUPRESSURE PAN


L 540 W 435 H 290mm





GI-428 M.D PANL 510 W 390 H 200mm






GI-429 EASTERN PANL 520 W 450 H 130mm





GI-430 | BOX EASTERN PAN





GI-432 | CHINA PAN


L 490 W 450 H 270mm

450

490



GI-431 | TURKIS PAN






GI-433 | IWC (18") OPEN RIM











GI-501 22" x 16" REPOSE SETL 430 W 560 H 820mm





GI-502 18" x 14" MINI REPOSE SET L 360 W 470 H 800mm






GI-503 18" x 14" SQUARE SET L 375 W 460 H 785mm








GI-504 20" x 16" BASIN SET

L 400 W 510 H 810mm






GI-505 25" x 20" CAPRI SET

L 520 W 650 H 880mm






GI-506 STAR GOLD SET

L 460 W 600 H 885mm








GI-507 POLO SETL 440 W 560 H 880mm






GI-508 MINI STERLING SET

L 460 W 600 H 890mm






GI-509 BIG STERLING SET

L 540 W 675 H 960mm








GI-510 SUPREME SET

L 460 W 580 H 850mm






GI-511 SOPHIA SET

L 440 W 560 H 870mm






GI-512 SQUARE SET

L 450 W 580 H 880mm









GI-513 LABANESE SET

L 490 W 590 H 820mm









GI-514 RADIANT SET (BIG REPOSE)

L 450 W 630 H 820mm









GI-515 PREMIUM SET

L 430 W 540 H 820mm










GI-516 AMAZON SET

L 445 W 575 H 820mm






GI-517
CRETA WASH BASIN WITH HALF PEDESTAL

L 365 W 410 H 450mm





GI-518 DELTA WASH BASIN WITH HALF PEDESTAL

L 370 W 460 H 450mm











GI-602 20" x 16" WASH BASIN

L 400 W 510 H 175mm








GI-603 18" x 14" ROUND WASH BASIN

L 360 W 470 H 180mm






GI-604 17" x 14" SQUARE WASH BASIN

L 360 W 430 H 190mm








GI-605 18" x 13" ROUND WASH BASIN

L 340 W 450 H 170mm






GI-606 18" x 13" FANCY WASH BASIN

L 365 W 450 H 180mm





GI-607 18" x **13" RANI WASH BASIN**

L 320 W 440 H 180mm






465

GI-608 18" x 12" ROUND WASH BASIN

L 330 W 465 H 170mm






GI-609 18" x 12" SQUARE WASH BASIN

L 300 W 450 H 150mm






GI-610 16" x 16" CORNER WASH BASIN

L 420 W 400 H 190mm








GI-611 15" x 12" ROUND WASH BASIN

L 310 W 400 H 160mm






GI-612 14" x 11" ROUND WASH BASIN

L 290 W 300 H 145mm





GI-613 14" x 11" SQUARE WASH BASIN

L 290 W 365 H 140mm



ONE PIECE BASIN



GI-701 ONE PIECE BASIN



GI-702 ONE PIECE BASIN



GI-703 ONE PIECE BASIN



GI-704 DOLPHIN BASIN SET



TABLE TOP BASIN







GI-801

330 x 330 x 150mm **GI-802**

405 x 405 x 125mm **GI-803**

455 x 330 x 140mm







GI-804

480 x 380 x 125mm **GI-805**

455 x 455 x 115mm **GI-806**

430 x 280 x 125mm



GI-807

405 x 330 x 150mm



DESIGNER ONE PIECE BASIN





DESIGNER ONE PIECE BASIN





DESIGNER ONE PIECE BASIN





DESIGNER ONE PIECE CLOSET





DESIGNER TABLE TOP BASIN



44



GI-1134

DESIGNER TABLE TOP BASIN



GI-1135

45

GI-1136



DESIGNER TABLE TOP BASIN





DESIGNER TABLE TOP BASIN





VITROSA SET PEDESTAL BASIN





VITROSA SET PEDESTAL BASIN



GI-1221 GI-1222 GI-1223 GI-1224

49



VITROSA SET PEDESTAL BASIN





VITROSA SQUATTING PAN





VITROSA WASH BASIN





CERAMIC ACCESSORIES



GI-1501 P TRAP



GI-1502 S TRAP



GI-1503 GULLY TRAP




GI-1504 FOT REST



GI-1505 SHELF



GI-1506 CERAMIC LLC TANK



GI-1507 URINAL PARTITION



SEAT COVER





GI-1601 Soft Close (Aqua)





GI-1602Soft Close (One Piece)





GI-1603 Regular (EWC / ITALIAN / IRANI)





GI-1604 Anglow

FLUSH TANK



GI-1701 Front Flush



GI-1702 Front Flush Heavy



GI-1703 Dual Top Flush Slim



GI-1704 Top Flush Heavy



GI-1705 Two Color Top Flush



GI-1706 Front Push



FLUSH TANK FITTING



Front Flush Fitting (Ceramic LLC/Close Couple Set)



Concealed Tank

TWO PCS FITTING




ONE PCS FITTING





TECHNICAL SPECIFICATION



WALL HUNG BASIN

As per shown in the picture, the rag bolt must be grouted into the cement/concrete wall. The bolts must be fixed to the cement/concrete wall. Allow setting & checking than install it using nut and washer.

COUNTER WASH BASIN

At the beginning

- 1. A skilled or experienced person should install counter lavatories.
- 2. Avoid using adhesive with this product.
- 3. Check the waste area and supply tubing if required.
- 4. Do not open the lavatory from its protective carton until you are ready for installation.
- 5. Please follow all local building and plumbing codes.




MATERIAL & TOOLS

Measure tape, Keyhole or saber saw, Hammer, Glasses, Rags or Paper toweling, Drill (1/2 dia, drill bit or larger), Pencil, sealant, sharp knife or scissors.

INSTALLATION OF LAVATORY

Please Note: Please install it in a way that future removal from underneath the counter top is possible without damaging the counter top.

- 1. Please check the desired location for clearance between the back splash, faucet, Fixture and cabinet.
- 2. Please cut the template.
- 3. Please carefully trace the template on the counter top directed.
- 4. Please mark the faucet hole centerline on the counter top.
- 5. Please drill a 1/2" pilot on the inside of the cut line.



For Wood Counter tops:

- 1. Mark and per-drill the wood screw holes at the locations shown on the template.
- 2. Waterproof any exposed areas of wood.



For Marble Counter tops:

- 1. Position the counter top upside down on foam padding to protect the surface. Mark and drill 3/6" holes 5/8" deep at the locations shown on the template.
- 2. Use a setting tool and hammer to secure the anchors.



For All Installations:

- 1. If the counter top has not been installed, install it at this time.
- 2. Drill the faucet holes according to the faucet installation instructions.
- 3. Install the faucet to the counter top according to the manufacture's instructions.
- 4. Install the drain to the lavatory according to the manufacture's instructions.



TROUBLESHOOTING GUIDE

ITEM	PROBLEM	PROBABLE REASONS	CORRECTIVE ACTIONS
Wash Basins/ Table Top	Overflow Chocked And Foul Bed Odor	Water Coupling Used May Be Full Threaded	Waste Coupling Should Be Changed To Slot Cut Coupling
	2. Water Deposit On Tap Platform Area And Inside Bowl Area	Basin Is Not Fixed In Level Or Bracket Is Not In Level	Should Be Done By Proper Leveling
	3. There Is No Tap Hole In Basin	Tap Hole Could Be Semi Punched From Back Side	Tap hold Should Be Created By Plumber From Semipunched Area
Ewc / Pan / Anglo Indian	1. Water Not Coming In Bowl Area While Flushing	Flush Bend Is Not Inserted Up To End Of Inlet Hole	Insert The Flush Pipe Up To The End Of Inlet (For Pan Closet: Check Whether Flush Pipe Is Not Covering Flush Hole Which Is In Both Side Of Inlet Wall
		Closet / Pan May be Not Leveled	Should Be Done By Proper Leveling
One Piece Closet	1. Water Not Coming In Bowl Area While Flushing	Mechanism Inside Tank Could Not Working Properly	Change The Centre Pump Of Mechanism
		There Is No Water In Flush Tank	Increase The Ball Cock Height To The Max Level
	Water Is Continuously Leaking Inside The Bowl	Mechanism Inside Tank Could Not Working Properly	Change The Centre Pump Of Mechanism
	Water Quantity Insufficient For Effective Flushing	Ball Cock Height Adjusted At Lower Level	Increase The Ball Cock Height To The Mx Level
	4. Uneven Flow Of Water From Bith Side Of Closet	Closet Is Not Leveled Properly	Closet Should Be In Proper Level
Wallhung Water Closet	Water Not Coming In Bowl Area While Flushing	Flush Valve May Not Working Properly / Concealed Cistern Is Not Working Properly	Should Change Flush Valve / Concealed Concealed Cistern
		Flush Pipe Is Not Inserted Up To The End Of Inlet Hole	Insert The Flush Pipe Up To The End Of Inlet
	Water Is Continuously Leaking Inside The Bowl	Closet Is Not Leveled Properly	Closet Should Be In Proper Level
	Water Quantity Insufficient For Effective Flushing	Connection Between Closet Outlet And Drainage Pipe Is Not Proper	Should Be Done By Proper Connection By Experienced Plumber
Couple Closet (2 Pcs Closet)	Uneven Flow Of Water From Both Side Of Closet Bowl	Both Arm Of Diverter Pipe Not Inserted Equally In Both Side Of The Closet	Both Arm Of Diverter Pipe Should Be Inserted Equally In Both Side Of The Closet
	2. Water Is Leaking Between The Cistern And Closet	Diverter Pipe Not Fixing Properly In The Outlet Of Cistern	Diverter Pipe Should Be Fixed Properly In The Outlet Of Cistern
		Rubber Ring Containing Bolt Is Not Tightened Properly	Rubber Ring Containing Bolt Should Be Tightened Properly

MAINTENANCE

Like any other part of your house, the bathroom can be made to look great and made to last long if it is taken care of regularity. To make your bathroom beautiful here are some invaluable tips.

Wash Basin

A mild detergent can be used to wash the basin at least once a day. After washing, the basin should be wiped out clearly to avoid water stains.

Closets:

Cleanser like Harpic can be used to clear the closet with soft plastic brush, at least once a day.

To avoid minute discoloring, after flushing the toilet give it a once over with the soft brush.

Keep the toilet brush handy in a convenient stand nearby.

In case of toilets and basins, if there has been no maintenance since long period of time, water deposits and discoloration can form on the surface of areas that get wet. In such cases, these stains/ marks can be removed with the help of a solution of dilute hydrochloric acid. Clean with a soft cotton cloth and warm water with soap.

Do not use thinner, day cleaning liquids or powder paste. Use a liquid cleaner at least twice a week.

Use brasso or car rubbing compound and then polish with a cloth to remove fine scratches.

NOTE:

The Dimensions & Specifications are Subject to changes Without any prior notice or intimation. Colour Shows Are Just Indicative & Will not exactly match with ceramic products.

WhatsApp:

+91 90823 59551

Mail:

info.royaleexport@gmail.com

Website:

royaleexport.com

Address:

Saifee Park 2, Mazgaon Mumbai - 400010, Maharashtra India.



ROYALE EXPORT

Serving Clients Globally